Content available at: <https://www.ipinnovative.com/open-access-journals>

The Journal of Dental Panacea

Journal homepage: <https://www.jdentalpanacea.org/>

Original Research Article

Comparing color stability of 3 different resin composites after immersion in staining media: An in vitro study

Aarshati Vyas^{1,*}, Shilpa Shah¹, Nishtha Patel¹, Setu P Shah²,
Harshvardhan Chaudhary³, Karna Jani¹

¹Dept. of Conservative Dentistry and Endodontics, College of Dental Sciences and Research Centre, Bopal, Manipur, Ahmedabad, Gujarat, India

²Dept. of Oral and Maxillofacial Surgery, College of Dental Sciences and Research Centre, Bopal, Manipur, Ahmedabad, Gujarat, India

³Dept. of Public Health Dentistry, College of Dental Sciences and Research Centre, Bopal, Manipur, Ahmedabad, Gujarat, India

ARTICLE INFO

Article history:

Received 07-01-2022

Accepted 10-01-2022

Available online 31-01-2022

Keywords:

Color stability
esthetic restorations
Giomers
Resin composites

ABSTRACT

Aim: The aim of this study was to evaluate colour stability of three different composite resins.

Materials and Methods: Thirty disc-shaped specimens of three different light-cured resin composites Filtek 3M ESPE, Beautifill Injectable (Shofu) and Beautifill 2 (Shofu) were prepared. For evaluation of colour stability, samples were evaluated for baseline color value using a spectrophotometer. Later, color measurements were taken after 1 week immersion in Green Tea by spectrophotometer and color change values were calculated. Statistical analyses were executed by one-way ANOVA and Scheffe's post hoc procedure.

Results: All materials showed significant color change after 1 week ($P < 0.05$) of immersion in Green Tea, with the lowest color alteration observed at the 1st day and the highest observed after the 7th day. Among the materials tested, the lowest color alteration was detected in Beautifill 2 and the highest color alteration was detected in Filtek Z250XT.

Conclusion: All the materials tested for evaluating colour stability showed apparent colour changes after 1 week.

This is an Open Access (OA) journal, and articles are distributed under the terms of the [Creative Commons Attribution-NonCommercial-ShareAlike 4.0 License](https://creativecommons.org/licenses/by-nc-sa/4.0/), which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.

For reprints contact: reprint@ipinnovative.com

1. Introduction

The use of composite resins has become important in restorative dentistry.¹ Currently, esthetic restorations are at the forefront of dentistry. Tooth colored restorations have become popular nowadays because of the development of materials that have better esthetic and functional features.² Composites comprise of properties like strength, stiffness, wear & corrosion resistance, fatigue life (long life due to repeated load) and thermal conductivity.³

An important property of composite resin is its colour stability. In order for the esthetic restorative materials to be functional, they need to maintain colour and shade in order to blend with the neighbouring tooth structure.³ Staining or discoloration of the restorative material is one of the reasons for replacement of composite restorations which occurs because of the aging process in the oral environment induced by several extrinsic or intrinsic factors. Extrinsic factors can differ according to the individual's nutrition, smoking and tobacco chewing habits, due to excessive intake of acidic beverages etc. Intrinsic factors include discoloration of the restorative material and depends on the

* Corresponding author.

E-mail address: aarshativyas15@gmail.com (A. Vyas).

resin matrix, filler weight, particle size distribution, and type of photoinitiator.¹ In oral conditions, composite resins are exposed to different dietary beverages such as coffee which might result in absorption and adsorption of colorants in coffee into the resin surface and consequently undesirable color change.^{4,5}

Composites selected in this study were Filtek Universal Z250XT (3M ESPE), Giomers (Beautifil Injectable and Beautifil 2). Filtek universal is a nanohybrid composite which comprises of filler content of zirconia and silica with the filler loading of 82% by weight (68% by volume).⁶ It combines physical, mechanical, and esthetic properties and incorporates a high-volume fraction of filler particles with a wide particle size distribution (5-100 nm).^{7,8}

Giomers is a relatively new innovative filler technology of resin composite. In place of applying purely glass or quartz as the typical fillers, the giomer encompasses inorganic fillers (ranges between 0.01 and 5 μ m).⁷ It is a fluoride-releasing, resin-based dental adhesive material that comprises Pre reacted glass (PRG) fillers.⁹ Beautifil Injectable (Shofu) and Beautifil 2 (Shofu), both are novel composites based on Giomer technology. In a study by Tanthanuch et al. 2014,⁷ Giomers showed superior color stability as compared to nanohybrid composites.

Owing to these enhanced properties, we have selected to compare and evaluate Filtek and Giomers in this study. There have not been much studies carried out and so we have chosen the materials mentioned above. Therefore, the aim of this study was to measure color stability of 3 different composite resins like Filtek Universal Z250XT (3M ESPE), Beautifil Injectable (Shofu) and Beautifil 2 (Shofu). The null hypothesis was that there the material type would not affect the color stability of resin composites.

2. Material and Method

2.1. Composite specimen preparation

For preparation of specimens, three different light-cured resin composites were used and grouped as follows, with 10 samples in each group (n=10):

- Group 1: Filtek 3M ESPE,
- Group 2: Beautifil Injectable (Shofu) and
- Group 3: Beautifil 2 (Shofu).

30 samples (n=10) were prepared by placing them in the 2-mm deep and 5-mm internal diameter plastic rings, interlaced between two glass slides and pressed, allowing for a smooth surface and no gap formation. The specimens were then light-cured for 40 seconds using the exit window of a quartz-tungsten-halogen light polymerization unit that was placed against the glass slab. The specimens were stored under moist conditions at 37°C until the radiographic part of the experiment was conducted.

Specimens of all 3 groups (total 30) were immersed in distilled water at 37°C for 24 hours. Following the

first immersion cycle, all specimens were removed, rinsed under tap water and blot-dried for initial colorimetric measurement with a spectrophotometer (Vita Easyshade, Germany). [Figure 1]

Colorimetric measurements of the specimens were performed according to the CIELab color scale, recording the L*, a*, and b* values, where L* is the lightness coordinate, and a* and b* are the chromacity coordinates in the red-green axis and the yellow-blue axis, respectively (2.1). Three readings were performed and a mean value for the L*, a*, and b* values was obtained for each specimen. Later, all the specimens were kept immersed in staining solution (Green Tea, Tetley) for 1 week which was prepared by mixing 25 g of powder in 250 ml of water which was standardized and changed every day.

Color measurements were recorded after 1 week of immersion. One examiner performed all the recordings of the L*, a*, and b* values. $\Delta E'$ values were calculated using Hunter's equation, $\Delta E' = [(\Delta L^*)^2 + (\Delta a^*)^2 + (\Delta b^*)^2]^{1/2}$.

To determine the relationship between the amount of color alteration recorded on a spectrophotometer to the clinical environment, data were converted to the National Bureau of Standards (NBS) system. According to this system, ΔE values can be described by the subsequent equation: NBS unit = $\Delta E \times 0.92$. [Table 1]

2.2. Statistical analysis

ANOVA (Analysis of variance) and Scheffe's Post hoc procedure were done for evaluating the radio-opacity and color stability

3. Results

According to the values obtained from Table 1, National Bureau of Standards (NBS) values of the composites were evaluated based on their color alteration.

Filtek: 11.75 (Remarkably apparent alteration), Beautifil Injectable: 9.23 (Remarkably apparent alteration), Beautifil 2: 5.97 (Apparent alteration).

There were statistically significant differences among the restorative materials when the results were compared using the one-way ANOVA ($P < 0.05$) [Table 2].

There was statistically significant difference found in Filtek after staining on 7th day (P value: 0.004) indicating its least color stability, followed by Beautifil Injectable which was not statistically significant (P value: 0.101). Beautifil 2 showed least color change, thereby proving color stable on the 7th day, however it was not statistically significant (P value: 0.609) [Table 3].

According to NBS system, at the end of 7th day, Filtek (11.75) showed remarkably apparent alteration, followed by Beautifil Injectable which also showed remarkably apparent alteration (9.23) and Beautifil 2 which showed only Apparent alteration (5.97).

Table 1: National Bureau of Standards (NBS) system of expressing color differences

ΔE NBS Criteria	
0–0.5 Trace:	Remarkably slight alteration
0.5–1.5 Slight:	Slight alteration
1.5–3 Noticeable:	Observable alteration
3–6 Appreciable:	Apparent alteration
6–12 Much:	Remarkably apparent alteration
12 or more Very much:	Alteration to other color

NBS unit = $\Delta E \times 0.92$

Table 2: One way analysis of variance results

Score	Sum of squares	df	Mean Square	F	Sig (p value)
Between groups	412.06	5	82.41	9.795	0.000
Within groups	201.93	24	8.41		
Total	613.999	29			

Value <0.05 statistically significant

Table 3: Mean±SD

	Filtek	Beautiful Injectable	Beautiful 2
1 st day	3.94±0.9	4.10±0.6	2.30±0.5
7 th day	12.78±4.8	10.04±2.2	6.49±4.6
P value	0.004	0.101	0.609

Value <0.05 statistically significant

Fig. 1: Spectrophotometer (Vita Easyshade)

4. Discussion

Color stability of dental restorations is one of the most important characteristics of composite resin materials in terms of longevity.⁴ Resin composites can be subjected to a variety of sources of staining during their lifespan. Among the frequent sources is the dietary consumption of staining beverages. So, the inherent property of the material, such as color stability is very important in order to maintain an esthetic result.³ Thus, the objective of the current investigation was to compare three esthetic resin composite formulations in regard to their color stability. Green Tea solution (Tetley) has been used in the current study as it is frequently consumed throughout the world.³

Shade changes before and after immersion in staining solution was measured using a spectrophotometer in order to yield the CIEL*a*b* parameters.³ The established CIE Lab system, one of the most common color measurement

systems in dentistry today, was used in this study with precise results for several color parameters.^{10,11} Here, L* or lightness variable is proportional to “value” in the Munsell system and a* and b* variables are chromacity coordinates designating red/green and yellow/blue axes respectively. This method is able to detect subtle changes in shades of dental resins and it is a widely used approach to objectively determine color changes in dental restorations expressed as numerical values without the inherent subjectivity of the operator decision-making process.¹²

The ΔE value presents relative color differences of dental materials or tooth surfaces before and after an intervention. According to literature, values of ΔE < 1 are regarded as not appreciable by the human eye. Values 1 < ΔE < 3.3 are considered appreciable by skilled operators but clinically acceptable, whereas values of ΔE > 3.3 are considered appreciable by nonskilled persons and are, hence, not clinically acceptable. Therefore, color changes above a value of ΔE = 3.3 were considered clinically unacceptable.⁴

Materials tested were Filtek, Beautiful Injectable and Beautiful 2. Filtek comprises of filler content of zirconia and silica with the filler loading of 82% by weight (68% by volume). The later 2 comprise of Giomer technology. Giomer is a fluoride-releasing, resin-based dental adhesive material that comprises PRG fillers. PRG fillers are fabricated by the acid-base reaction between fluoroaluminosilicate glass (FASG) and polyalkenoic acid (PAA) in the presence of water to form a wet siliceous hydrogel. After freeze-drying, the desiccated xerogel was further milled and silanized to form PRG fillers of a specific size range.^{9,13}

The benefits of S-PRG filler are: release ions other than fluoride, that serve a range of benefits, (i) Fluoride release and fluoride recharge, (ii) formation of acid resistant layer (iii) reinforcement of tooth structure (iv) antiplaque effect (v) remineralization of dentin (vi) acid buffering capacity and reduce acid production by acidogenic bacteria.^{9,14}

Owing to these enhanced properties, we have selected Giomers in our study. Beautifil 2 showed the highest color stability after 1 week followed by Beautifil Injectable and the least stability was observed in Filtek. Moreover, Poggio et al.¹⁵ in their study have reported that Filtek formulation was susceptible to color changes.³ This can be attributed to the fact that the resin matrix of the giomer restoratives were all based on Bis-GMA/TEGDMA mixtures. Bis-GMA molecules are highly viscous and require the addition of low molecular weight monomers to achieve a workable consistency upon filler incorporation. TEGDMA is often employed as the diluent monomer for Bis-GMA due to its low viscosity and excellent copolymerization characteristics. The lower staining susceptibility of the Beautifil 2 and Beautifil Injectable giomers may be attributed in part to the relatively higher TEGDMA content when compared to their conventional counterparts.^{12,16} Additionally, in a study by Hajira et al. (2015)⁹ the enhanced property of color stability of giomers was elaborated in addition to various other properties like fluoride release and recharge, ion release & modulation effect, buffering of lactic acid, antibacterial properties, adherence of streptococcus mutans, PRG and biofilm and mineral induction. Hence, as there were significant differences between the materials tested, the null hypothesis of this study was rejected.

5. Conclusion

Among the materials tested, Filtek Z250 showed the highest color alteration and Beautifil II showed the lowest highest color alteration. In clinical practice when selecting an appropriate restorative material, the dentists should consider the drinking and oral hygiene habits of the patients and the factors that may affect the color stability of restorative materials. In addition, patients should also be informed about the staining potential of the restorations.

6. Conflict of Interest

The authors have stated explicitly that there are no conflicts of interest in connection with this article.

7. Source of Funding

None.

References

- Özdaş DÖ, Kazak M, Çilingir A, Subaşı MG, Tiryaki M, Günel Ş, et al. Color Stability of Composites After Short-term Oral Simulation: An in vitro Study. *Open Dent J.* 2016;10:431–7. doi:10.2174/1874210601610010431.
- Gul P, Çağlayan F, Akgul N, Akgul HM. Comparison of radiopacity of different composite resins. *J Conserv Dent.* 2017;20(1):17–20.
- Alkhadim YK, Hulbah MJ, Nassar HM. Color Shift, Color Stability, and Post-Polishing Surface Roughness of Esthetic Resin Composites. *Materials (Basel).* 2020;13(6):1376. doi:10.3390/ma13061376.
- Shamszadeh S, Sheikh-Al-Eslamian SM, Hasani E, Abrandabadi AN, Panahandeh N. Color Stability of the Bulk-Fill Composite Resins with Different Thickness in Response to Coffee/Water Immersion. *Int J Dent.* 2016;p. 7186140. doi:10.1155/2016/7186140.
- Um CM, Ruyter IE. Staining of resin-based veneering materials with coffee and tea. *Quintessence Int.* 1991;22(5):377–86.
- Ermis RB, Yildirim D, Yildiz G, Gormez O. Radiopacity evaluation of contemporary resin composites by digitization of images. *Eur J Dent.* 2014;8(3):342–7. doi:10.4103/1305-7456.137644.
- Tanthanuch S, Kukiattrakoon B, Siriporananon C, Ornprasert N, Mettasitthikorn W, Likhitpreeda S, et al. The effect of different beverages on surface hardness of nanohybrid resin composite and giomer. *J Conserv Dent.* 2014;17(3):261–5.
- Beun S, Glorieux T, Devaux J, Vreven J, Leloup G. Characterization of nanofilled compared to universal and microfilled composites. *Dent Mater.* 2007;23(1):51–9. doi:10.1016/j.dental.2005.12.003.
- Hajira NN, Meena N. GIOMER- The Intelligent Particle (New Generation Glass Ionomer Cement). *Int J Dent Oral Health.* 2015;2(4). doi:10.16966/2378-7090.166.
- Falkensammer F, Arnetzl GV, Wildburger A, Freudenthaler J. Color stability of different composite resin materials. *J Prosthet Dent.* 2013;109(6):378–83.
- Johnston WM. Color measurement in dentistry. *J Dent.* 2009;37(1):2–6.
- Tian F, Yap AU, Wang X, Gao X. Effect of staining solutions on color of pre-reacted glass-ionomer containing composites. *Dent Mater J.* 2012;31(3):384–8.
- Ikemura K, Tay FR, Kouro Y, Endo T, Yoshiyama M, Miyani K, et al. Optimizing filler content in an adhesive system containing pre-reacted glass ionomer fillers. *Dent Mater.* 2003;19(2):137–46. doi:10.1016/s0109-5641(02)00022-2.
- Fujimoto Y, Iwasa M, Murayama R, Miyazaki M, Nagafuji A, Nakatsuka T, et al. Detection of ions released from S-PRG fillers and their modulation effect. *Dent Mater J.* 2010;29(4):392–7.
- Poggio C, Vialba L, Berardengo A, Federico R, Colombo M, Beltrami R, et al. Color Stability of New Esthetic Restorative Materials: A Spectrophotometric Analysis. *J Funct Biomater.* 2017;8(3):26. doi:10.3390/jfb8030026.
- Emami N, Söderholm K. Young's modulus and degree of conversion of different combination of light-cure dental resins. *Open Dent J.* 2009;3:202–7. doi:10.2174/1874210600903010202.

Author biography

Aarshati Vyas, 3rd Year Post Graduate

Shilpa Shah, Professor

Nishtha Patel, Professor

Setu P Shah, Reader

Harshvardhan Chaudhary, Professor

Karna Jani, Senior Lecturer

Cite this article: Vyas A, Shah S, Patel N, Shah SP, Chaudhary H, Jani K. Comparing color stability of 3 different resin composites after immersion in staining media: An in vitro study. *J Dent Panacea* 2021;3(4):165–168.